



## DAS Solar Black Solution

A New Definition of Residential PV Module



Maximum Power Output


## **N-type TOPCon** Technology

**Double-Glass** 


Maximum Module Efficiency




product warranty linear power warranty



## Custom design crafted just for the Aussie market



**Black Pro** 



**Black Thru** 



## Why DAS TOPCon Double Glass Module

DAS Solar's N-type TOPCon 4.0 Technology

## **Cell Efficiency**



#### Ultra Thin Glass Equipped

3.2kg lighter than regular double-glass module, reducing roof loads, but still with the strength of heat treatment.



#### Double Glass Design

No vapor transmission on the rear side for greater reliability


Conventional single-glass modules are prone to backsheet bulging and yellowing delamination due to water vapor transmission, while DAS Solar's N-type TOPCon double-glass modules can effectively eliminate this problem.





### Higher Bifaciality

Up to 80% bifaciality, more energy yied from back side




\* Reflected sunlight absorbed into back of the panels

## Lower Power Degradation

1.73% more annual energy yield than P-type during warranty period

1.00% degradation in the 1st year


0.40% annual degradation from the 2nd year



#### High reliability







### Excellent power generation performance





## Why DAS Solar

## STRATEGIC SHAREHOLDERS

Backed by strategic investments from major state-owned enterprises, DAS Solar has garnered sustainable financial support and reliable bank credit lines. Committed to green, low-carbon solutions and environmental protection, our shareholders have reached a cumulative installed capacity exceeding 100GW. With robust financial backing and outstanding product performance, DAS Solar has rapidly ascended to the ranks of the global TOP 10 PV manufacturers in just four short years.



# Tier1 BloombergNEF

- Top 10 global module shipment
- · Top 10 solar manufacturing capacity
- Top 2 N-type module shipment\*
  \*as of Q2 2023



## ADVANCED R&D

- World record of open-circult voltage: 730mV
- Impressive R&D cell efficiency: 26.33%
- Partnership with Professor Martin Green's team from the University of New South Wales (UNSW) to develop new ultra-efficient solar cells with a maximum efficiency exceeding 40%.



# QUALITY CONTROL

- Unique 3 EL tests during the manufacturing process effectively prevents the micro cracks in panels, compared to the standard production with only 2 EL tests.
- 100% Al automatic identification detection in key inspection steps to ensure the best quality.



## LOCAL SERVICE TEAM

- Australian local sales and service network, ensuring the most efficient support to customers' needs.
- Back up by expertise in headquarter, providing the most professional service.












## Engineering Drawing (mm)

## Silicon Sealant Laminate 8-14\*9 Mounting Hole A Long Frame 1400 + 2 $990 \pm 2$ Laminate

### Characteristic Curves (440W)



## Electrical Parameters (STC \* )

Nominal Max. Power(Pmax/W)	420	425	430	435	440
Open Circuit Voltage(Voc/V)	38.48	38.54	38.60	38.72	88.88
Short Circuit Current(Isc/A)	13.78	13.79	13.80	13.89	3.98
Operating Voltage(Vmp/V)	32.02	32.35	32.68	33.01	33.26
Operating Current(Imp/A)	13.12	13.14	13.16	13.18	3.23
Efficiency(%)	21.5	21.8	22.0	22.3	22.5

STC  $^{\star}$ : Irradiance = 1000 W/m $^{2}$ , Cell Temperature = 25°C, AM = 1.5 Test condition is based on the front side

#### **Mechanical Parameters**

Cell Type	N Type			
Module Size	1722×1134×30mm			
Glass Thickness	1.6mm			
Module Weight	20.5Kg			
Output Cable	4mm², cable length 1200mm			
Connector	MC4 original			
Junction Box	IP68, 3 bypass diodes			
Frame	Anodized aluminium alloy (Black)			

## Electrical Parameters (NMOT \* )

Nominal Max. Power(Pmax/W)	316.0	319.0	322.0	325.0	329.0
Open Circuit Voltage(Voc/V)	36.40	36.46	36.52	36.82	36.69
Short Circuit Current(Isc/A)	11.11	11.11	11.12	11.20	11.27
Operating Voltage(Vmp/V)	30.05	30.28	30.51	30.83	31.04
Operating Current(Imp/A)	10.52	10.54	10.56	10.54	10.60

NMOT \*: Irradiance = 800 W/m², Ambient Temperature = 20°C, AM = 1.5,

Wind Speed = 1 m/s

Test condition is based on the front side

## **Temperature Coefficients**

Short Circuit Current(Isc)	+0.045%/°C
Open Circuit Voltage(Voc)	-0.250%/°C
Nominal Max. Power(Pmax)	-0.300%/°C
NMOT	42±2℃

## Backside Power Gain (For 440W)

Power Gain	10%	15%	20%	25%	30%
Nominal Max. Power(Pmax/W)	484.0	506.0	528.0	550.0	572.0
Open Circuit Voltage(Voc/V)	38.88	38.88	38.98	38.98	38.98
Short Circuit Current(Isc/A)	15.38	16.08	16.78	17.48	18.17
Operating Voltage(Vmp/V)	33.26	33.26	33.36	33.36	33.36
Operating Current(Imp/A)	14.55	15.21	15.83	16.49	17.15

## Operating Parameters

Max. System Voltage		DC1500V
Power Tolerance		0 ~ +5 W*
Operating Temperature		-40°C ~ +85°C
Max. Fuse Rated Current		30A
Front Static Load	Snow	load 5400Pa, Wind load 2400Pa
Packing Data	36 pcs,	/Pallet; 216(20GP); 936(40HQ)

\*440W module power tolerance refers to -5~+5w